

light on your work



X-BABY

2X70 W LED - 2M



TRIME

Lighting Tower Specialist



X-BABY

2X70 W LED - 2M

Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-BABY has been created beginning from these characteristics. It is the best solution to your needs and guarantees 750 sqm of illuminated area. 54 units can be loaded on a standard truck. To all of this, we added the battery technology that allows to work with zero emission.

APPLICATIONS

-  Special events
-  Rural & hard to reach areas
-  Emergency response
-  Construction & work sites
-  Gas, oil & mining operations
-  Military applications



2m



108 Kg



750 sqm



Battery



Illuminated area

750 sqm

- Multi-directionally adjustable and tiltable floodlights
- 1 section galvanized telescopic vertical mast
- Maximum mast height 2 m
- Manual lifting system
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 54 units per truck
- Central lifting eye for effective handling
- Hand trolley
- Light weight for improved manoeuvrability
- Simple, rugged machine design and layout
- Electrical cable inside the mast
- protected electrical cable to avoid damage during tower operation
- Circuit breaker for electrical protection against short circuit
- On/Off switches
- Easy access for maintenance
- 2 extendable & height adjustable galvanized stabilizers
- battery pack in AGM
- built-in battery recharger



Support galvanized base for easy transport included as an option



**54
Units Per Truck**



You can place 54 units on a single vehicle thanks to one of the compactest footprint on the market.

KEY BENEFITS

✔ *Led technology*

✔ *Compact dimensions*

✔ *Easy maintenance*

CO₂ **NO**
carbon emission

100%
first unique battery driven

FULL AGM BATTERY

QUICK RELEASE
VERTICAL MAST

HIGH EFFICIENCY
LED TECHNOLOGY

GALVANIZED BODY
DIMABLE ANTI-CORROSION
PROTECTION



WORKING TIME 8H

own construction site
building maintenance
project repairing
structure property
construction for property
town caution tower
lower structure tower
city industrial
industry
recycling site
downtown site
building
progress
forbidden city
maintenance
danger
warning

technical data


Dimensions & weight	
Dimensions min. (LxWxH) (mm)	598X648X1650
Dimensions max (LxWxH) (mm)	1000X664X2000
Total weight	108 Kg

Features	
Rotation	340°
Floodlights	2x70W
Lamps	LED
IP level	65
Max wind speed	30 Km/h
Lifting method	Manual
Maximum Height	2m
Battery charger	230V 1Ph Built-in
Running time	8 h
Charging time with floodlights off	± 10 h

Battery	
Type	AGM
Batteries number	1
Batteries pack	12V DC 105 AH
Expected battery cycle	500
Expected battery life	4000h

Standard load delivery



54 units



Units Per Truck

Illuminated area

750 sqm



Lighting Tower Specialist

TRIME s.r.l.

Strada per Robecco, snc
 20081 Cassinetta di Lugagnano (MI) - Italy
 Tel. +39 02 942 1724
 Sales Dept. +39 0382 406 252
 www.trime.it - info@trime.it